

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((("5261241,") or ("5879378")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 08:11
L2	2	1 and (water liquid fluid solution retention barrier retain\$4 impervi\$5 impenetr\$5 permiab\$5 leak\$4 seep\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:53
L3	2	2 and (layer coat\$4 cover\$4 film aluminum oxide: silicone oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:14
L4	2	3 and (polyester polyethylene ethylvinyl acetate ldpe eva)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:23
L5	158826	((layer coat\$3 film) near3 (((aluminum adj oxide) alumina) ((silicon adj oxide) silica)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:21
L6	248	((layer coat\$3 film) near3 (((aluminum adj oxide) alumina) ((silicon adj oxide) silica))) with ((water liquid fluid solution moisture moist) near2 (retention retain\$3 barrier impervious impenetra\$5 permiab\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:24
L7	14	6 and (((aluminum adj oxide) alumina) ((silicon adj oxide) silica)) near4 polyester)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:32
L8	1529	(607/108-112,114).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 08:32
L9	1	3 and (((layer coat\$3 film) near4 (polyester polyethylene ethylvinyl acetate ldpe eva)) same (burst\$4 ruptur\$5 seal\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:23

L10	96	8 and (((layer coat\$3 film) near4 (polyester polyethylene ethylvinyl acetate ldpe eva)) same (burst\$4 ruptur\$5 seal\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:36
L11	15	8 and (((layer coat\$3 film) near4 (polyester polyethylene ethylvinyl acetate ldpe eva)) same (burst\$4 ruptur\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:53
L12	1	"3763622".PN.	USPAT; USOCR	OR	ON	2004/12/13 08:36
L13	2	("5261241").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 08:53
L14	2	13 and (layer coat\$3 film polyester polyethylene ethylvinyl acetate ldpe eva burst\$4 ruptur\$5 water liquid fluid solution retention barrier retain\$4 impervi\$5 impenetr\$5 permia\$5 leak\$4 seep\$4 endotherm\$4 exotherm\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:23
L15	1	13 and leak	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:38
L16	1	13 and adhesive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:14
L17	2	("6648909").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 09:41
L18	2	17 and (polyester polyethylene ethylvinyl acetate ldpe eva)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:23
L19	2	18 and (layer coat\$3 film polyester polyethylene ethylvinyl acetate ldpe eva burst\$4 ruptur\$5 water liquid fluid solution retention barrier retain\$4 impervi\$5 impenetr\$5 permia\$5 leak\$4 seep\$4 endotherm\$4 exotherm\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:24

L20	2	13 and (supersaturate saturate salt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:39
L21	2	13 and (supersaturat\$4 saturat\$4 salt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:40
L22	4	((("6648909,") or ("5261241"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 09:41
L23	3	22 and (adhesive aqueous sodium acetate thiosulfate sulfate magnesium methyl acetate ethyl polyisocyanate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:43
S1	1513	(607/108-112,114).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 00:39
S2	50	((607/108-112,114).CCLS.) and polymer and (layer coat\$4 cover\$4 film) and oxide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 22:56
S3	23	(US-6629964-\$ or US-6605051-\$ or US-6436128-\$ or US-6419651-\$ or US-6409746-\$ or US-6407307-\$ or US-6406448-\$ or US-6336935-\$ or US-6264681-\$ or US-6264622-\$ or US-6248125-\$ or US-6123717-\$ or US-6102937-\$ or US-6099556-\$ or US-6099555-\$ or US-5984953-\$ or US-5918590-\$ or US-5879378-\$ or US-5534020-\$ or US-5233981-\$ or US-4573447-\$ or US-3871376-\$ or US-3736769-\$).did.	USPAT	OR	OFF	2004/10/17 22:47

S4	23	((US-6629964-\$ or US-6605051-\$ or US-6436128-\$ or US-6419651-\$ or US-6409746-\$ or US-6407307-\$ or US-6406448-\$ or US-6336935-\$ or US-6264681-\$ or US-6264622-\$ or US-6248125-\$ or US-6123717-\$ or US-6102937-\$ or US-6099556-\$ or US-6099555-\$ or US-5984953-\$ or US-5918590-\$ or US-5879378-\$ or US-5534020-\$ or US-5233981-\$ or US-4573447-\$ or US-3871376-\$ or US-3736769-\$).did.) and (polyester polyethylene ethylvinyl acetate (aluminum adj oxide) (silicone adj oxide))	USPAT	OR	OFF	2004/10/17 22:59
S5	1	((((US-6629964-\$ or US-6605051-\$ or US-6436128-\$ or US-6419651-\$ or US-6409746-\$ or US-6407307-\$ or US-6406448-\$ or US-6336935-\$ or US-6264681-\$ or US-6264622-\$ or US-6248125-\$ or US-6123717-\$ or US-6102937-\$ or US-6099556-\$ or US-6099555-\$ or US-5984953-\$ or US-5918590-\$ or US-5879378-\$ or US-5534020-\$ or US-5233981-\$ or US-4573447-\$ or US-3871376-\$ or US-3736769-\$).did.) and (polyester polyethylene ethylvinyl acetate (aluminum adj oxide) (silicone adj oxide))) and ((aluminum adj oxide) (silicone adj oxide)))	USPAT	OR	ON	2004/10/17 22:56
S6	39	((607/108-112,114).CCLS.) and ((layer coat\$4 cover\$4 film) same oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 22:57
S7	3	((((607/108-112,114).CCLS.) and ((layer coat\$4 cover\$4 film) same oxide)) and ((aluminum adj oxide) (silicone adj oxide)))	USPAT	OR	ON	2004/10/17 22:56
S8	599145	((layer coat\$4 cover\$4 film) same oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 22:58
S9	45764	((layer coat\$4 cover\$4 film) same ((aluminum adj oxide) (silicone adj oxide)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 22:58

S10	21388	((layer coat\$4 cover\$4 film) near4 ((aluminum adj oxide) (silicone adj oxide)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 22:58
S11	19289	((layer coat\$4 cover\$4 film) near3 ((aluminum adj oxide) (silicone adj oxide)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:12
S12	10741	((coat\$4 film) near3 ((aluminum adj oxide) (silicone adj oxide)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 22:59
S13	5510	(coat\$4 near3 ((aluminum adj oxide) (silicone adj oxide)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 22:59
S14	4324	(coat\$4 near2 ((aluminum adj oxide) (silicone adj oxide)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/17 22:59
S15	855	((coat\$4 near2 ((aluminum adj oxide) (silicone adj oxide)))) and (polyester polyethylene ethylvinyl acetate)	USPAT	OR	OFF	2004/12/13 08:11
S16	726	((coat\$4 near2 ((aluminum adj oxide) (silicone adj oxide)))) and (polyester polyethylene ethylvinyl acetate)) and (thermochemical thermal heat cold hot cool)	USPAT	OR	OFF	2004/10/17 23:01
S17	281	((coat\$4 near2 ((aluminum adj oxide) (silicone adj oxide)))) and (polyester polyethylene ethylvinyl acetate)) and (thermochemical thermal heat cold hot cool)) and adhesive	USPAT	OR	OFF	2004/10/17 23:06
S18	95	((coat\$4 near2 ((aluminum adj oxide) (silicone adj oxide)))) and (polyester polyethylene ethylvinyl acetate)) and (thermochemical thermal heat cold hot cool)) and (adhesive near2 layer)	USPAT	OR	OFF	2004/10/17 23:06

S19	23	(US-6248125-\$ or US-6407307-\$ or US-6264681-\$ or US-6264622-\$ or US-6336935-\$ or US-6406448-\$ or US-6099555-\$ or US-6123717-\$ or US-6099556-\$ or US-6102937-\$ or US-5984953-\$ or US-5918590-\$ or US-4573447-\$ or US-5233981-\$ or US-5534020-\$ or US-5879378-\$ or US-3736769-\$ or US-3871376-\$ or US-6409746-\$ or US-6436128-\$ or US-6605051-\$ or US-6629964-\$ or US-6419651-\$).did.	USPAT	OR	ON	2004/12/08 20:11
S20	9	(US-6338870-\$ or US-6365319-\$ or US-6403005-\$ or US-6406577-\$ or US-6500520-\$ or US-6532119-\$ or US-6720097-\$ or US-6761994-\$ or US-6767601-\$).did.	USPAT	OR	ON	2004/12/08 20:16
S21	114	((("3442686,") or ("3587578,") or ("3663335,") or ("4281802,") or ("4559266,") or ("4596250,") or ("4623710,") or ("4725501,") or ("4913957,") or ("4980210,") or ("5016629,") or ("5023120,") or ("5122410,") or ("5129391,") or ("5233981,") or ("5366491,") or ("5447531,") or ("5458628,") or ("5518792,") or ("5641325,") or ("5693415,") or ("5702375,") or ("5725958,") or ("5756171,") or ("5792550,") or ("5830545,") or ("5851678,") or ("5856017,") or ("5971947,") or ("6096067,") or ("6132822,") or ("6132822,") or ("6146732,") or ("6248433,") or ("6284396,") or ("6413645,") or ("6432516,") or ("6436541,") or ("6492026,") or ("6492475,") or ("6503617,") or ("6630216,") or ("6632513,") or ("6649732,") or ("6664137,") or ("20010010145,") or ("20010008717,") or ("20020018891,") or ("20020022156,") or ("20020071953,") or ("20020168528,") or ("20030072932,") or ("20030157346,") or ("20040005450,") or ("20040018364,") or ("20040029001,") or ("20040043238"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 20:21

S22	145	S19 S20 S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 20:21
S23	64	S22 and (thermochemical liquid fluid solution agent) and (layer film coat\$4 sheet) and polymer\$4 and oxide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 21:16
S24	34	S23 and (oxide with (aluminum silicone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 21:16
S25	33	S24 and (thermo thermal\$4 heat\$4 hot\$4 cold\$4 cool\$4 chill\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 09:33
S26	32	S19 S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 21:16
S27	30	S26 and (thermochemical liquid fluid solution agent) and (layer film coat\$4 sheet) and polymer\$4 and oxide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 21:16
S28	30	S23 and (oxide near5 (aluminum silicone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 21:16
S29	30	S28 and (oxide near5 (aluminum silicone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 21:17
S30	30	S28 and (oxide near4 (aluminum silicone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 21:17
S31	30	S28 and (oxide near3 (aluminum silicone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 21:17

S32	16	(US-6338870-\$ or US-6365319-\$ or US-6403005-\$ or US-6406577-\$ or US-6500520-\$ or US-6532119-\$ or US-6720097-\$ or US-6761994-\$ or US-6767601-\$ or US-6436128-\$ or US-6413645-\$ or US-6264681-\$ or US-6248125-\$ or US-5879378-\$ or US-5856017-\$ or US-5518792-\$).did.	USPAT	OR	ON	2004/12/08 21:18
S33	34	S31 S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 21:18
S34	25	S33 and polyester and ((polyethylene ldpe) or ((ethyvinyl adj acetate) eva))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 09:34
S35	16	S34 and adhesive	USPAT	OR	ON	2004/12/08 21:21
S36	4	(US-6264681-\$ or US-6248125-\$ or US-5879378-\$ or US-5792550-\$).did.	USPAT	OR	ON	2004/12/08 21:26
S37	4	S35 and S36	USPAT	OR	ON	2004/12/08 21:26
S38	1861	(607/108-112,114).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 09:31
S39	2	S38 and (oxide adj coat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 09:45
S40	3348	((oxide adj coat\$3) near2 (layer film sheet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 09:33
S41	2234	S40 and (thermo thermal\$4 heat\$4 hot\$4 cold\$4 cool\$4 chill\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 09:33
S42	317	S41 and ((layer coat\$4 cover\$4 film) near3 ((aluminum adj oxide) (silicone adj oxide)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 09:34

S43	93	S42 and polyester and ((polyethylene ldpe) or ((ethyvinyl adj acetate) eva))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 09:36
S44	0	S43 and (endotherm\$4 exotherm\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:54
S45	2	S38 and (oxide near3 coat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 10:02
S46	2	("6071956").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 10:02
S47	4	(US-5792550-\$ or US-5879378-\$ or US-6248125-\$ or US-6264681-\$).did.	USPAT	OR	ON	2004/12/09 11:07
S48	4	S47 and (layer coat\$4 film oxide silic\$2 aluminum thermo thermal\$2 oxide)	USPAT	OR	ON	2004/12/09 11:20
S49	78	S38 and (endotherm\$4 exotherm\$4) and ((moisture liquid water fluid solution) near3 (loss evapor\$5 dry diying dries dried retention retain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 11:29
S50	7	S49 and (oxide with (coat\$4 layer film deposit\$4 barrier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 11:30
S51	18	(US-5792550-\$ or US-5879378-\$ or US-6248125-\$ or US-6264681-\$ or US-6629964-\$ or US-6436128-\$ or US-6409746-\$ or US-6328761-\$ or US-6132454-\$ or US-6099556-\$ or US-6017606-\$ or US-5534020-\$ or US-5366492-\$ or US-5366491-\$ or US-5342412-\$ or US-5046479-\$ or US-RE32026-\$ or US-4011945-\$).did.	USPAT	OR	ON	2004/12/09 11:43
S52	3	S51 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 11:44

S53	1861	(607/108-112,114).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 22:42
S54	78	S53 and (endotherm\$4 exotherm\$4) and ((moisture liquid water fluid solution) near3 (loss evapor\$5 dry diying dries dried retention retain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 22:42
S55	7	S54 and (oxide with (coat\$4 layer film deposit\$4 barrier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 23:00
S56	18	(US-5792550-\$ or US-5879378-\$ or US-6248125-\$ or US-6264681-\$ or US-6629964-\$ or US-6436128-\$ or US-6409746-\$ or US-6328761-\$ or US-6132454-\$ or US-6099556-\$ or US-6017606-\$ or US-5534020-\$ or US-5366492-\$ or US-5366491-\$ or US-5342412-\$ or US-5046479-\$ or US-RE32026-\$ or US-4011945-\$).did.	USPAT	OR	ON	2004/12/10 22:42
S57	3	S56 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 22:42
S58	9	S53 and (oxide adj (layer coat\$4 film))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 23:02
S59	9	S58 and polymer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 23:51
S60	1	S53 and ((ammonium adj nitrate) near4 tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 23:51
S61	1	S53 and ((ammonium near3 nitrate) near4 tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 23:52

S62	92124	((aluminum silicon) adj oxide) near3 (coat\$4 layer film sheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 00:40
S63	729	((((aluminum silicon) adj oxide) near3 (coat\$4 layer film sheet)) near4 polymer\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:11
S64	67	S63 and ((water liquid fluid solution) near3 (retention barrier retain\$4 impervi\$5 impenetr\$5 permia\$5 leak\$4 seep\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:11